

PERFIS DE COMPLEMENTO

Séries Diversas



LISTA DE PERFIS

Perfil	Designação	Referência
	Perfil de complemento	TS 2010
	Montante	TS 2012
	Calha de estores	PER 90524
	Calha dupla	TS 2013
	Calha para pelúcia	TS 2014
	Tubo triangular	TS 2015
	Montante	TS 2017


Perfil	Designação	Referência
	Montante	TS 2018
	Perfil de complemento	TS 2040
	Pingadeira	TS 4003
	Perfil ligação de prumos	TS 4004
	Aro para porta de correr	TS 4010



PERFIS DE COMPLEMENTO




TS 2010




TS 2040




MONTANTES



TS 2012



TS 2017



TS 2018



Technical drawing of a rectangular frame with dimensions in cm. The overall width is 27.5 cm and the overall height is 60.8 cm. The frame has a top rail, a bottom rail, and two vertical stiles. The top rail has a total height of 4 cm, with a top flange of 5 cm and a bottom flange of 3.6 cm. The bottom rail has a total height of 7.4 cm, with a top flange of 6.75 cm and a bottom flange of 6.75 cm. The vertical stiles have a total width of 24.9 cm, with a top flange of 1.3 cm and a bottom flange of 9 cm. The frame is shown in a perspective view with dashed lines indicating the internal structure and dimensions.


A diagram of a rectangular frame. The width is labeled as 18 and the height is labeled as 70. The frame consists of two vertical bars and two horizontal bars. Dashed lines indicate the overall dimensions.

Technical drawing of a rectangular frame. The horizontal dimension is labeled 23.6 and the vertical dimension is labeled 25. The frame has a double-line border and small rectangular notches on the bottom edge.

S06




TUBO TRIANGULAR



TS 2015


PINGADEIRA




TS 4003




ARO PARA PORTA DE CORRER



TS 4010



PERFIL LIGAÇÃO DE PRUMOS



TS 4004